JONES DAY®

Facsimile Transmission

222 EAST 41ST STREET • NEW YORK, NEW YORK 10017 • (212) 326-3939
Facsimile: (212) 755-7306
gmolaro@jonesday.com

RECEIVED
CENTRAL FAX CENTER
SEP 21 2004

Please hand deliver the following facsimile to:

September 21, 2004

Name/Company:	Facsimile Number:	Telephone Number:
Examiner Stewart, Alvin J. United States Patent and Trademark Office Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	703-308-3590 703-872-9306	703-305-0277

From: **Giuseppe Molaro**

☐ **Copies distributed** Operator's Initials

JP No.: **006594**

Direct Telephone No.: **(212) 790-6348**
Direct Facsimile No.: **(212) 699-0368**
CAM No.: 708716-999225
Number of pages (including this page): 14

Send copies to:

Re: United States Patent Application No. 09/814,224
Inventor: Michael L. Boyer II *et al.*
Filed: March 22, 2001
Entitled: MULTIPIECE IMPLANTS FORMED OF BONE MATERIAL
Art Unit: 3738
Attorney Docket No. 008932-226-999

NOTICE: This communication is intended to be confidential to the person to whom it is addressed, and it is subject to copyright protection. If you are not the intended recipient or the agent of the intended recipient or if you are unable to deliver this communication to the intended recipient, please do not read, copy or use this communication or show it to any other person, but notify the sender immediately by telephone at the direct telephone number noted above.

Message:

AMENDMENT

BEST AVAILABLE COPY

Please call us immediately if the facsimile you receive is incomplete or illegible. Please ask for the facsimile operator.

PAGE 1/13 * RCVD AT 9/21/2004 1:45:33 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/0 * DNIS:8729306 * CSID:+2127557306 * DURATION (mm-ss):04-48

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.
As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.